

PRACTICE GUIDELINES: Thoraco-Lumbar Spine

OBJECTIVES:

1. Identify the appropriate imaging modality to screen patients for thoraco-lumbar spine injuries
2. Identify which patients require radiographic screening for thoraco-lumbar spine injuries

DEFINITION:

Thoraco-lumbar spine fractures result from high-energy trauma. These injuries are often associated with additional serious injuries. CT scans represent the standard for imaging.

GUIDELINES:

1. CT scan of the entire spine is indicated for patients with blunt trauma, suspect spinal injury, altered level of consciousness, impaired patient, distracting injuries or high-energy mechanism of injury.
2. Clinical examination without radiographic studies is indicated in the absence of the criteria found above.
3. An MRI and spine service consult are indicated if the CT is suggestive of neurologic involvement and of gross neurologic deficits.

References:

1. ^ [abcde](#) Cooper C, Dunham DC, Rodrigues A. Falls and major injuries are risk factors for thoracolumbar injuries: cognitive impairment and multiple injuries impede the detection of back pain and tenderness. *J Trauma*. 1995; 38: 692–695.
2. ^ [abcdef](#) Sheridan R, Peralta R, Rhea J, Ptak T, Novelline R. Reformatted visceral protocol helical computed tomographic scanning allows conventional radiographs of the thoracic and lumbar spine to be eliminated in the evaluation of blunt trauma patients. *J Trauma*. 2003; 55: 665–669.
3. ^ [abcdef](#) Meldon S, Moettus LN. Thoracolumbar spine fractures: clinical presentation and the effect of altered sensorium and major injury. *J Trauma*. 1995; 39: 1110–1114.
4. ^ [abcde](#) Hsu JM, Joseph T, Ellis AM. Thoracolumbar fracture in blunt trauma patients: guidelines for diagnosis and imaging. *Injury*. 2003; 34: 426–433.
5. ^ Brandser EA, El-Khoury GY. Thoracic and lumbar spine trauma. *Radiol Clin North Am*. 1997; 35: 533–537.
6. ^ [abc](#) Saboe LA, Reid DC, Davis LA, et al.. Spine trauma and associated injuries. *J Trauma*. 1991; 31: 43–48.
7. Poonnoose PM, Ravichandran G, McClelland RM. Missed and mismanaged injuries of the spinal cord. *J Trauma*. 2002; 53: 314–320.
8. ^ [ab](#) Reid DC, Henderson R, Saboe L, et al.. Etiology and clinical course of missed spine fractures. *J Trauma*. 1987; 27: 980–986.
9. Levi AD, Hurlbert RJ, Anderson P, et al.. Neurological deterioration secondary to unrecognized spinal instability following trauma—a multicentre study. *Spine*. 2006; 35: 451–458.

10. [^](#) [a](#)[b](#) ACR–ASNR–ASSR–SPR Practice guidelines for the performance of computed tomography (CT) of the spine. The Guidelines and Standards Committees of the ACR Commissions on Neuroradiology and Pediatric Radiology in collaboration with the ASNR, the ASSR, and the SPR. 2011. Available at: <http://www.acr.org/guidelines>. Accessed March 15, 2012.
11. [^](#) [a](#)[b](#) Fontijne WPJ, DeKlerk LWL, Braakman R, Stijnen T, Tanghe HLJ, Steenbeek R, van Linge B. CT scan prediction of neurological deficit in thoracolumbar burst fractures. *J Bone Joint Surg Br.* 1992; 74: 683–685.
12. [^](#) [a](#) Post MD, Green BA, Quencer RM. The value of computed tomography in spinal trauma. *Spine.* 1982; 7: 417–431.
13. [^](#) [a](#) Flohr T, Stierstorfer K, Brunder H, Simon J, Polacin A, Schaller S. Image reconstruction and image quality evaluation for a 16-slice CT scanner. *Med Phys.* 2003; 30: 832–845.
14. [^](#) [a](#)[b](#) Ballock RT, Mackersie R, Abitbol JJ, et al.. Can burst fractures be predicted from plain radiographs? *J Bone Joint Surg Br.* 1992; 74: 147–150.
15. [^](#) [a](#)[b](#)[c](#) Hauser CJ, Visvikis G, Hinrichs C, Eber CD, Cho K, Lavery RF, Livingston DH. Prospective validation of computed tomographic screening of the thoracolumbar spine in trauma. *J Trauma.* 2003; 55: 228–235.
16. [^](#) [a](#)[b](#)[c](#) Wintermark M, Mouhsine E, Theumann N, Mordasini P, van Melle G, Leyvraz PF, Schnyder P. Thoracolumbar spine fractures in patients who have sustained severe trauma: depiction with multi-detector row CT. *Radiology.* 2003; 227: 681–689.
17. [^](#) [a](#)[b](#) Roos JE, Hilfiker P, Platz A, Desbiolles L, Boehm T, Marincek B, Weishaupt D. MDCT in emergency radiology: is a standardized chest or abdominal protocol sufficient for evaluation of thoracic and lumbar spine trauma? *AJR Am J Roentgenol.* 2004; 183: 959–968.
18. [^](#) [a](#)[b](#) Herzog C, Ahle H, Mack MG, Maier B, Schwarz W, Zangos S, Jacobi V, Thalhammer A, Peters J, Ackermann H, et al.. Traumatic injuries of the pelvis and thoracic and lumbar spine: does thin-slice multidetector-row CT increase diagnostic accuracy? *Eur Radiol.* 2004; 14: 1751–1760.
19. [^](#) [a](#)[b](#) Brandt MM, Wahl WL, Yeom K, Kazerooni E, Wang SC. Computed tomographic scanning reduces cost and time of complete spine evaluation. *J Trauma.* 2004; 56: 1022–1026.
20. [^](#) [a](#)[b](#) Mejia VA, Diaz JJ, Guy J, Miller R, May AK, Guillaumondegui O, Morris JA. Plain films vs. helical CT for thoracolumbar spine clearance. *J Trauma.* 2004; 57: 1376.
21. [^](#) [a](#)[b](#)[c](#) Berry GE, Adams S, Harris MB, Boles CA, McKernan MG, Collinson F, Hoth JJ, Meredith JW, Chang MC, Miller PR. Are plain radiographs of the spine necessary during evaluation after blunt trauma? Accuracy of screening torso computed tomography in thoracic/lumbar spine fracture diagnosis. *J Trauma.* 2005; 59: 1410–1413.
22. [^](#) [a](#)[b](#)[c](#) Antevil JL, Sise MJ, Sack DI, Kidder B, Hopper A, Brown CV. Spiral computed tomography for the initial evaluation of spine trauma: a new standard of care? *J Trauma.* 2006; 61: 382–387.
23. [^](#) [a](#)[b](#) Smith MW, Reed JD, Facco R, Hlaing T, McGee A, Hicks BM, Aaland M. The reliability of nonreconstructed computerized tomographic scans of the abdomen and pelvis in detecting thoracolumbar spine injuries in blunt trauma patient with altered mental status. *J Bone Joint Surg Am.* 2009; 91: 2342–2349.
24. [^](#) [a](#)[b](#)[c](#) Pouw MH, Deunk J, Brink M, Dekker HM, Kool DR, van Vugt AB, Edwards MJR. Is a pelvic fracture a predictor for thoracolumbar spine fractures after blunt trauma? *J Trauma.* 2009; 67: 1027–1032.
25. [^](#) [a](#) Gilsanz V, Miranda J, Cleveland R, Willi U. Scoliosis secondary to fractures of the transverse processes of lumbar vertebrae. *Radiology.* 1980; 134: 627–629.
26. [^](#) [a](#) Tewes DP, Fischer DA, Quick DC, Zamberletti F, Powell J. Lumbar transverse process fractures in professional football players. *Am J Sports Med.* 1995; 23: 507–509.
27. [^](#) [a](#)[b](#) Homnick A, Lavery R, Nicastro O, Livingston DH, Hauser CJ. Isolated thoracolumbar transverse process fractures: call physical therapy, not spine. *J Trauma.* 2007; 63: 1292–1295.
28. [^](#) [a](#) Miller CD, Blyth P, Civil ID. Lumbar transverse process fractures—a sentinel marker of abdominal organ injuries. *Injury.* 2000; 31: 773–776.
29. [^](#) [a](#) Krueger MA, Green DA, Hoyt D, Garfin SR. Overlooked spine injuries associated with lumbar transverse process fractures. *Clin Orthop Relat Res.* 1996; 327: 191–195.

30. [^](#) Patten RM, Gunberg SR, Brandenburger DK. Frequency and importance of transverse process fractures in the lumbar vertebrae at helical abdominal CT in patients with trauma. *Radiology*. 2000; 215: 831–834.
31. [^](#) Denis F. The three column spine and its significance in the classification of acute thoracolumbar spinal injuries. *Spine*. 1983; 8: 817–831.
32. [^](#) Chance CQ. Note on a type of flexion fracture of the spine. *Br J Radiol*. 1948; 21: 452.
33. [^](#) Diaz JJ, Cullinane DC, Altman DT, et al.. Practice management guidelines for the screening of thoracolumbar fracture. *J Trauma*. 2007; 63: 709–718.
34. [^](#) [abcd](#) Frankel HL, Rozycki GS, Ochsner GM, et al.. Indications for obtaining surveillance thoracic and lumbar spine radiographs. *J Trauma*. 1994; 37: 673–676.
35. [^](#) [abcde](#) Terregino CA, Ross SE, Lipinski MF, Foreman J, Hughes R. Trauma. *Ann Emerg Med*. 1995; 26: 126–129.
36. [^](#) Meek S. Fractures of the thoracolumbar spine in major trauma patients. *BMJ*. 1998; 317: 1442–1443.
37. [^](#) [abcd](#) Durham RM, Luchtefeld WB, Wibbenmeyer L, et al.. Evaluation of the thoracic and lumbar spine after blunt trauma. *Am J Surg*. 1995; 170: 681–685.
38. [^](#) [ab](#) Anderson S, Biros MH, Reardon RF. Delayed diagnosis of thoracolumbar fractures in multiple-trauma patients. *Acad Emerg Med*. 1996; 3: 832–839.
39. [^](#) Calenoff L, Chessarc JW, Rogers LF, et al.. Multiple level spinal injuries: importance of early recognition. *AJR Am J Roentgenol*. 1978; 130: 665–669.
40. [^](#) Frame SB, Enderson BL. The multiple fractured spine: incidence and need for complete spine radiographic evaluation. *J Trauma*. 1992; 32: 954–959.
41. [^](#) Gupta A, el Masri WS. Multilevel spinal injuries. Incidence, distribution and neurological patterns. *J Bone Joint Surg Br*. 1989; 71: 692–695.
42. [^](#) Keenen TL, Antony J, Benson DR. Non-contiguous spinal fractures. *J Trauma*. 1990; 30: 489–491.
43. [^](#) [abcd](#) Stanislas MJC, Latham JM, Porte KM, Alpar EK, Stirling AJ. A high risk group for thoracolumbar fractures. *Injury*. 1998; 29: 15–18.
44. [^](#) [ab](#) Chang CH, Holmes JF, Mower WR, Panacek EA. Distracting injuries in patients with vertebral injuries. *J Emerg Med*. 2005; 28: 147–152.
45. [^](#) [abcd](#) Holmes JF, Panacek EA, Miller PQ, Lapidis AD, Mower WR. Prospective evaluation of criteria for obtaining thoracolumbar radiographs in trauma patients. *J Emerg Med*. 2003; 24: 1–7.
46. [^](#) Kirkpatrick AW, McKeivitt E. Thoracolumbar spine fractures: is there a problem? *Canadian Journal of Surgery*. 2002; 45: 21–24.
47. [^](#) Meyer PF. *Surgery of Spine Trauma*. Michigan: Churchill Livingstone; 1989.
48. [^](#) Kupferschmid JP, Weaver ML, Raves JJ, et al.. Thoracic spine injuries in victims of motorcycle accidents. *J Trauma*. 1989; 29: 593–596.
49. [^](#) Robertson A, Giannoudis PV, Branfoot T, Barlow I, Matthews SJ, Smith RM. Spinal injuries in motorcycle crashes: patterns and outcomes. *J Trauma*. 2002; 53: 5–8.
50. [^](#) Ertürer E, Tezer M, Oztürk I, Kuzgun U. Evaluation of vertebral fractures and associated injuries in adults. *Acta Orthop Traumatol Turc*. 2005; 39: 387–390.
51. [^](#) Enderson BL, Reath DB, Meadows J, et al.. The tertiary trauma survey: a prospective study of missed injury. *J Trauma*. 1990; 29: 1643–1646.
52. [^](#) [ab](#) Samuels LE, Kerstein MD. Routine radiologic evaluation of the thoracolumbar spine in blunt trauma patients: a reappraisal. *J Trauma*. 1993; 34: 85–89.
53. [^](#) Sava J, Williams MD, Kennedy S, Wang D. Thoracolumbar fracture in blunt trauma: is clinical exam enough for awake patients? *J Trauma*. 2006; 61: 168–171.
54. [^](#) Inaba K, DuBose JJ, Barmparas G, Barbarino R, Reddy S, Talving P, Lam L, Demetriades D. Clinical examination is insufficient to rule out thoracolumbar spine injuries. *J Trauma*. 2011; 70: 174–179.
55. [^](#) Looby S, Flanders A. Spine trauma. *Radiol Clin North Am*. 2011; 49: 129–163.

56. [^](#) Pizonés J, Izquierdo E, Alvarez P, Sánchez-Mariscal F, Zúñiga L, Chimeno P, Benza E, Castillo E. Impact of magnetic resonance imaging on decision making for thoracolumbar traumatic fracture diagnosis and treatment. *Eur Spine J*. 2011; 20 (Suppl 3): 390–396.
57. [^](#) Hirsh LF, Duarte L, Wolfson EH. Thoracic spinal cord injury without spine fracture in an adult: case report and literature review. *Surg Neurol*. 1993; 40: 35–38.
58. [^](#) Koizumi M, Ueda Y, Iida J, Matsuyama E, Yoshikawa T, Takakura Y, Hirai T, Murakami J. Upper thoracic spinal cord injury without vertebral bony lesion: a report of two cases. *Spine*. 2002; 27: E467–E470.
59. [^](#) Samsani SR, Calthorpe D, Geutjens G. Thoracic spinal cord injury without radiographic abnormality in a skeletally mature patient: a case report. *Spine*. 2003; 28: E78–E80.
60. [^](#) MacMillan M, Stauffer ES. Transient neurologic deficits associated with thoracic and lumbar spine trauma without fracture or dislocation. *Spine*. 1990; 15: 466–469.
61. [^](#) Riggins RS, Kraus JF. The risk of neurologic damage with fractures of the vertebrae. *J Trauma*. 1977; 17: 126–133.
62. [^](#) Denis F. The three column spine and its significance in the classification of acute spinal injuries. *Spine*. 1983; 8: 817–831.
63. [^](#) McAfee PC, Yuan H, Fredrickson BE, Lubicky JP. The value of computer tomography in thoracolumbar fractures. *J Bone Joint Surg Am*. 1983; 65: 461–472.
64. [^](#) Hu R, Mustard CA, Burns C. Epidemiology of incident spinal fracture in a complete population. *Spine*. 1996; 21: 492–499.
65. [^](#) Dai LY, Ding WG, Wang XY, Jiang LS, Jiang SD, Xu HZ. Assessment of ligamentous injury in patients with thoracolumbar burst fractures using MRI. *J Trauma*. 2009; 66: 1610–1615.
66. [^](#) Hill D, Delaney L, Dufflou J, et al.. A population-based study of outcome after injury to car occupants and to pedestrians. *J Trauma*. 1996; 37: 673–676.